Information Processing Letters 25 (1987) 419–421
North-Holland

26 July 1987

AUTHOR INDEX VOLUME 25 (1987)

(The issue number is given in front of the page numbers)

Alexandridis, N.A. and **P.D. Tsanakas,** An encoding scheme for the efficient representation of hierarchical image structures (3) 199–206
Apostolico, A., Remark on the Hsu–Du new algorithm for the longest common subsequence problem (4) 235–236
Appel, A.W., Garbage collection can be faster than stack allocation (4) 275–279
Attalah, M. and **C. Bajaj,** Efficient algorithms for common transversals (2) 87– 91
Autebert, J.-M., P. Flajolet and **J. Gabarro,** Prefixes of infinite words and ambiguous context-free languages (4) 211–216

Babaoğlu, Ö., Stopping times of distributed consensus protocols: A probabilistic analysis (3) 163–169
Baeza-Yates, R.A., Some average measures in m-ary search trees (6) 375–381
Bajaj, C., *see* **Atallah, M.** (2) 87– 91
Berman, L., *see* **Chang, J.H.** (1) 1– 9
Bhatt, S.N. and **S.S. Cosmadakis,** The complexity of minimizing wire lengths in VLSI layouts (4) 263–267
Boppana, R.B., J. Hastad and **S. Zachos,** Does co-NP have short interactive proofs? (2) 127–132
Broy, M., Predicative specifications for functional programs describing communicating networks (2) 93–101
Brustmann, B. and **I. Wegener,** The complexity of symmetric functions in bounded-depth circuits (4) 217–219
Buda, A.O., Multiprocessor automata (4) 257–261

Calude, C., Super-exponentials nonprimitive recursive, but rudimentary (5) 311–315
Chang, J.H., O.H. Ibarra, B. Ravikumar and **L. Berman,** Some observations concerning alternating Turing machines using small space (1) 1– 9
Cheung, T.-Y., *see* **Zhu, Y.** (5) 329–333
Cho, J.-W., *see* **Chung, T.-C.** (3) 183–188
Chung, T.-C. and **J.-W. Cho,** History sensitive string for multiple alphabets (3) 183–188
Cosmadakis, S.S., *see* **Bhatt, S.N.** (4) 263–267
Cybenko, G., D.W. Krumme and **K.N. Venkataraman,** Fixed hypercube embedding (1) 35– 39

Dillencourt, M.B., A non-Hamiltonian, nondegenerate Delaunay triangulation (3) 149–151

Fischer, M.J. and **N. Immerman,** Interpreting logics of knowledge in propositional dynamic logic with converse (3) 175–181
Flajolet, P., *see* **Autebert, J.-M.** (4) 211–216
Friedberg, S.A. and **G.L. Peterson,** An efficient solution to the mutual exclusion problem using weak semaphores (5) 343–347
Fries, O., K. Mehlhorn, S. Näher and **A. Tsakalidis,** A log log n data structure for three-sided range queries (4) 269–273
Frieze, A.M., Parallel algorithms for finding hamilton cycles in random graphs (2) 111–117

Gabarro, J., *see* **Autebert, J.-M.** (4) 211–216
Goldberg, A.V. and **S.A. Plotkin,** Parallel $(\Delta + 1)$-coloring of constant-degree graphs (4) 241–245
Gopalakrishnan, P.S., *see* **Pawagi, S.R.** (6) 417
Gries, D., A. Pascoletti and **L. Sbriz,** Horner's rule and the computation of linear recurrences (4) 237–240
Gries, D. and **I. Stojmenović,** A note on Graham's convex hull algorithm (5) 323–327

Hamlet, R.G., Probable correctness theory (1) 17– 25
Hastad, J., *see* **Boppana, R.B.** (2) 127–132
He, Jifeng, *see* **Hoare, C.A.R.** (2) 71– 76
Hoare, C.A.R., He, Jifeng and **J.W. Sanders,** Prespecification in data refinement (2) 71– 76
Howell, R.R., L.E. Rosier and **H. Yen,** An $O(n^{1.5})$ algorithm to decide boundedness for conflict-free vector replacement systems (1) 27– 33
Hunt, III, H.B., *see* **Ravi, S.S.** (5) 317–321
Hyslop, G.A. and **E.A. Lamagna,** Performance of distributive partitioned sort in a demand paging environment (1) 61– 64

Ibarra, O.H., *see* **Chang, J.H.** (1) 1– 9
Immerman, N., *see* **Fischer, M.J.** (3) 175–181

Jędrzejowicz, J., Nesting of shuffle closure is important (6) 363–367

Katajainen, J., O. Nevalainen and **J. Teuhola,** A linear expected-time algorithm for computing planar relative neighbourhood graphs (2) 77– 86
Kawai, S., Local authentication in insecure environments (3) 171–174

Kelter, U., The complexity of strict serializability revisited (6) 407–411
Kemp, R., A note on the number of leftist trees (4) 227–232
Kirsig, B. and **K.-J. Lange**, Separation with the Ruzzo, Simon, and Tompa relativization implies DSPACE(log n) ≠ NSPACE(log n) (1) 13– 15
Klapper, A., A lower bound on the complexity of the convex hull problem for simple polyhedra (3) 159–161
Kobuchi, Y., A note on symmetrical cellular spaces (6) 413–415
Krause, K., L.L. Larmore and **D.J. Volper**, Packing items from a triangular distribution (6) 351–361
Krumme, D.W., *see* **Cybenko, G.** (1) 35– 39
Kunde, M. and **H. Steppat**, On the worst-case ratio of a compound multiprocessor scheduling algorithm (6) 389–396

Lai, T.H. and **T.H. Yang**, On distributed snapshots (3) 153–158
Lakshmanan, K.B., N. Meenakshi and **K. Thulasiraman**, A time-optimal message-efficient distributed algorithm for depth first-search (2) 103–109
Lamagna, E.A., *see* **Hyslop, G.A.** (1) 61– 64
Lange, K.-J., *see* **Kirsig, B.** (1) 13– 15
Larmore, L.L., *see* **Krause, K.** (6) 351–361
Laumond, J.-P., Obstacle growing in a nonpolygonal world (1) 41– 50
Levcopoulos, C., An $\Omega(\sqrt{n})$ lower bound for the nonoptimality of the greedy triangulation (4) 247–251
Li, H.F., *see* **Venkatesh, K.** (5) 295–303

Maley, M.F., An observation concerning constraint-based compaction (2) 119–122
Martinek, J., *see* **Nawrocki, J.R.** (5) 305–310
Meenakshi, N., *see* **Lakshmanan, K.B.** (2) 103–109
Mehlhorn, K., *see* **Fries, O.** (4) 269–273
Melkman, A.A., On-line construction of the convex hull of a simple polyline (1) 11– 12
Mints, G. and **E. Tyugu**, Semantics of a declarative language (*Corrigendum*) (2) 139
Montagne, E., *see* **Surós, R.** (5) 335–341
Moran, S., Generalized lower bounds derived from Hastad's main lemma (6) 383–388
Morris, J.M., Varieties of weakest liberal preconditions (3) 207–210

Näher, S., *see* **Fries, O.** (4) 269–273
Naor, J., A fast parallel coloring of planar graphs with five colors (1) 51– 53
Nawrocki, J.R. and **J. Martinek**, A storage allocation method with invalidating dangling references (5) 305–310
Nevalainen, O., *see* **Katajainen, J.** (2) 77– 86

Ochmański, E., Inevitability in concurrent systems (4) 221–225

Pallo, J., On the rotation distance in the lattice of binary trees (6) 369–373
Pascoletti, A., *see* **Gries, D.** (4) 237–240
Pawagi, S.R., P.S. Gopalakrishnan and **I.V. Ramakrishnan**, Computing dominators in parallel (*Corrigendum*) (6) 417
Peper, F., Determining connected components in linear time by a linear number of processors (6) 401–406
Peterson, G.L., *see* **Friedberg, S.A.** (5) 343–347
Plotkin, S.A., *see* **Goldberg, A.V.** (4) 241–245

Radhakrishnan, T., *see* **Venkatesh, K.** (5) 295–303
Raghavan, V. and **S.M. Venkatesan**, On bounds for a board covering problem (5) 281–284
Ramakrishnan, I.V., *see* **Pawagi, S.R.** (6) 417
Ravi, S.S. and **H.B. Hunt, III**, An application of the Planar Separator Theorem to counting problems (5) 317–321
Ravikumar, B., *see* **Chang, J.H.** (1) 1– 9
Rayward-Smith, V.J., The complexity of preemptive scheduling given interprocessor communication delays (2) 123–125
Reichling, M., A simplified solution of the n queens' problem (4) 253–255
Reif, J.H., A topological approach to dynamic graph connectivity (1) 65– 70
Rosier, L.E., *see* **Howell, R.R.** (1) 27– 33

Salowe, J.S. and **W.L. Steiger**, Stable unmerging in linear time and constant space (5) 285–294
Sanders, J.W., *see* **Hoare, C.A.R.** (2) 71– 76
Sbriz, L., *see* **Gries, D.** (4) 237–240
Steiger, W.L., *see* **Salowe, J.S.** (5) 285–294
Steppat, H., *see* **Kunde, M.** (6) 389–396
Stojmenović, I., *see* **Gries, D.** (5) 323–327
Surós, R. and **E. Montagne**, Fitted diagonals for reducing I/O bandwidth in systolic systems (5) 335–341

Tel, G. and **J. Van Leeuwen**, Letter to the Editor (5) 349
Tennent, R.D., Quantification in Algollike languages (2) 133–137
Teuhola, J., *see* **Katajainen, J.** (2) 77– 86
Thulasiraman, K., *see* **Lakshmanan, K.B.** (2) 103–109
Toyama, Y., Counterexamples to termination for the direct sum of term rewriting systems (3) 141–143
Tsakalidis, A., *see* **Fries, O.** (4) 269–273
Tsanakas, P.D., *see* **Alexandridis, N.A.** (3) 199–206
Tse, T.H., On the detection of unstructuredness in flowgraphs (3) 189–193
Tsin, Y.H., *see* **Wang, C.A.** (1) 55– 60
Tyugu, E., *see* **Mints, G.** (2) 139

Van Leeuwen, J., *see* **Tel, G.** (5) 349
Venkataraman, K.N., *see* **Cybenko, G.** (1) 35– 39
Venkatesan, S.M., *see* **Raghavan, V.** (5) 281–284
Venkatesh, K., T. Radhakrishnan and **H.F. Li**, Optimal checkpointing and local recording for domino-free rollback recovery (5) 295–303

Verjus, J.P., On the proof of a distributed algorithm (3) 145–147
Volper, D.J., *see* **Krause, K.** (6) 351–361
Vŕto, I., The area-time complexity of the VLSI counter (6) 397–400

Wang, C.A. and **Y.H. Tsin**, An O(log n) time parallel algorithm for triangulating a set of points in the plane (1) 55– 60
Wegener, I., *see* **Brustmann, B.** (4) 217–219
Wiltink, J.G., A deficiency of natural deduction (4) 233–234

Yang, T.H., *see* **Lai, T.H.** (3) 153–158
Yen, H., *see* **Howell, R.R.** (1) 27– 33

Zachos, S., *see* **Boppana, R.B.** (2) 127–132
Zhu, Y. and **T.-Y. Cheung**, A new distributed breadth-first-search algorithm (5) 329–333
Zöbel, D., Transformations for communication fairness in CSP (3) 195–198